

Full References

PAGES Newsletter Vol.9, No 3

Palaeoenvironmental reconstructions for mountains in the Eurasian mid-continent:

Altai:

Baryshnikov, G. Y. 1996: Fossil vegetation in terraced complex of the mountain Altai (in Russian). *Flora i Rastitel'nost' Altaya*. Barnaul: Barnaul University Press, 1996, p. 129-135.

Chernova, G.M., Mikhailov, N.N., Denisenko, V.P., Kosyreva, M.G. 1991: Some questions of paleogeography of Holocene of southeastern Altai (in Russian). *Izvestiya vsesoyuznogo geograficheskogo obshestva, Vyp2.*, 140-146.

COHMAP members 1998: Climatic Changes of the Last 18,000 Years: Observations and Model Simulations. *Science* 241: 1043-1052.

Tarasov, P.E., Jolly D., Kaplan J.O. 1997: A continuous Late Glacial and Holocene record of vegetation changes in Kazakhstan. *Palaeogeography, Palaeoclimatology, Palaeoecology* 136: 281-292.

Tarasov, P., Dorofeyuk, N. and Metel'tseva, E. 2000: Holocene vegetation and climate changes in Horton-Nur basin, northwest Mongolia. *Boreas*, Vol.29, pp. 117-126.

Pirin Mountains:

Bennett, K.D. 1996: Determination of the number of zones in a biostratigraphical sequence. *New Phytologist* 132: 155-170.

Bozilova, E., Filipova, M., Filipovich, L. and Tonkov, S. (1996) Bulgaria. In Berglund, B.E., Birks, H.J.B., Ralska-Jasiewiczowa, M. and Wright, H.E. editors, *Palaeoecological Events During the Last 15000 Years: Regional Syntheses of Palaeoecological Studies of Lakes and Mires in Europe*, Chichester: John Wiley and Sons Ltd, 701-728.

Stefanova, I. 1997. New data on the Late Holocene vegetative succession in the Northern Pirin Mts.: pollen and macrofossil analysis of depositions from peat bogs Goce Delchev and Visokata Ela.- *Phytologia Balcanica*, 3/2-3.

Stefanova, I. and Ammann, B. (2002, submitted): Late Glacial and Holocene vegetation belts in the Pirin Mountains (southwestern Bulgaria).

Stefanova, I. 2000. The Holocene forest limit in the Northern Pirin Mts. (SW Bulgaria) - palaeocological evidence from pollen analysis, macrofossil plant remains and 14C dating". - In: "Proceedings of the 5 EPPC, Acta Palaeobotanica, supplement 2

Stefanova, I. & Bozilova, E. 1995. Studies on the Holocene history of vegetation in the Northern Pirin Mts. (Southwestern Bulgaria). - In: Bozilova, E. & Tonkov, S. (Eds.), Advances in Holocene Palaeoecology in Bulgaria, 9-31. Sofia. Pensoft Publ.

Stefanova, I. & Oeggl, K. 1993. Zur holozänen Vegetationsgeschichte SW-Bulgariens: - Das Moor Praso im Pirin-Gebirge. - Ber.nat.-med. Verein Innsbruck, 80: 69-8.

Willis, K.J., Rudner, E. and Sümegi, P. 2000: The Full-Glacial Forests of Central and Southeastern Europe. Quaternary Research 53: 203-21

Timberline paleoecology in the Alps:

Ammann, B., Birks, H.J.B., Brooks, S.J., Eicher, U., von Grafenstein, U., Hofmann, W., Lemdahl, G., Schwander, J., Tobolski, K. and Wick, L., 2000: Quantification of biotic responses to rapid climatic changes around the Younger Dryas - a synthesis. Palaeogeography, Palaeoclimatology, Palaeoecology, 159: 313-347.

Haas, J.N., Richoz, I., Tinner, W. and Wick, L., 1998: Synchronous Holocene climatic oscillations recorded on the Swiss Plateau and at timberline in the Alps. The Holocene, 8: 301-309.

Heiri, O., 2001: Holocene palaeolimnology of Swiss mountain lakes reconstructed using subfossil chironomid remains: past climate and prehistoric human impact on lake ecosystems. PhD Thesis, University of Bern, Bern.

Hormes, A., Müller, B.U. and Schlüchter, C., 2001: The Alps with little ice: evidence for eight Holocene phases of reduced glacier extent in the Central Swiss Alps. The Holocene, 11: 255-265.

Körner, C., 1999: Alpine Plant Life. Springer, Berlin, 338 pp. Magny, M. and Richoz, I., 1998: Holocene lake-level fluctuations in Lake Seedorf, southern Swiss Plateau. Eclogae geol. Helv., 91: 345-357.

Magny, M. and Schoellammer, P., 1999: Lake-level fluctuations at Le Locle, Swiss Jura, from the Younger Dryas to the mid-Holocene: a high-resolution record of climate oscillations during the final deglaciation. Géographie physique et Quaternaire, 53: 183-197.

Maisch, M., Wipf, A., Denneler, B., Battaglia, J. and Benz, C., 1999: Die Gletscher der Schweizer Alpen. Gletscherhochstand 1850, Aktuelle Vergletscherung, Gletscherschwund-Szenarien. vdf, Zürich, 373 pp.

Tinner, W., unpubl. Uppermost limit, extent and fluctuations of the timberline ecotone in the Swiss Central Alps during the past 11,500 years. *Arctic, Antarctic, and Alpine Research*, in review

Tinner, W., Ammann, B. and Germann, P., 1996: Treeline fluctuations recorded for 12,500 years by soil profiles, pollen, and plant macrofossils in the central Swiss Alps. *Arctic and Alpine Research*, 28(2): 131-147.

Tinner, W., Hubschmid, P., Wehrli, M., Ammann, B. and Conedera, M., 1999: Long-term forest fire ecology and dynamics in southern Switzerland. *Journal of Ecology*, 87: 273-289.

Tinner, W. and Lotter, A.F., 2001: Central European vegetation response to abrupt climate change at 8.2 ka. *Geology*, 29: 551-554.

Wick, L. and Tinner, W., 1997: Vegetation changes and timberline fluctuations in the Central Alps as indicator of Holocene climatic oscillations. *Arctic and Alpine Research*, 29: 445-458.